

Certificate of Analysis

Product Name:	Medica Mary Superfood	Manufacture Date:	05/20/2023
UPC:	046708 995972	Manufactured By:	Medical Mary
Manufactured for:	Medical Mary	Bottled By:	Medical Mary
Lot Number:	SF58979	Analysis Date:	05/20/2023
WIP Lot Number:	25958	Expiration Date:	05/20/2025
Category:	Bottled Powder; Finished Product	Country of Origin:	United States
Powder Color:	Green		
Target Net Weight (G)	241	Actual Net Weight (G)	244

Ingredients	Manufacturing Specification(MG)	Methods	Result per Serving(MG)	Infrared Absorption (USP 197)
Vitamin A(Retinyl Palmitate)10%	3	CBMP	3.04	Conform
Organic Blue Agave Inulin(Fructooligosaccharide; FOS)	3400	CBMP	3442	Conform
Organic Fruit and Vegetable Blend Containing: Organic Apple Extract, Organic Broccoli Extract, Organic Spinach Extract, Organic Carrot Extract, Organic Beet Extract, Organic blueberry Extract, & Organic Raspberry Extract	1550	CBMP	1569	Conform
Greens & Sea Vegetable				

Blend: Containing Organic Spirulina Algae Extract, Wakame Seaweed Extract, Noni Fruit Extract, Organic Alfalfa leaf Extract, Organic Beet juice Powder, Organic Goji(Lycium barbarum)Berry 5:1 Extract, Organic Amla Fruit Extract(min 40% Tannins), & Organic Acai Juice 5:1 Extract(Euterpe Oleracea)	1900	CBMP	1924	Conform
Probiotic Blend Containing: 10B CFU of L. rhamnosus, L. paracasei, L. acidophilus, L.plantarum, B. breve, B. longum, B. adolescentis, B. lacits, B. bifidum & S. thermophilus	418	CMBP	423	Conform
Digestive Enzymes Blend Containing: Acid Protease(16 SAP), Amyloglucosidase(11AG), Cellulase(890 CU), Amylase(1,680 SKB), Protease(5,430 HUT), & Lipase(100 FIP)	100	CBMP	101.2	Conform
Broad-Spectrum CBD 91%	10	CBMP	10.1	Conform
Other Ingredients: Citric Acid, Stevia Leaf Extract, Blue Raspberry Flavor, Grape Flavor				

CBMP: Confirmed by Manufacturing Process

CBVP: Confirmed by Verifying Process with CoA (Softgels, Gummies, etc.)

Analysis	Manufacturing Specification	Method	Result	Pass/Fail
Total Aerobic Plate Count	Probiotic	AOAC	n/a	Pass
Yeast & Mold	Probiotic	AOAC	n/a	Pass
E. Coli	Negative	AOAC	Negative	Pass

Quality Control: Julia Celedon



655 Tenth St
Cedartown, GA 3012
678-901-3550

intended only as a source of information. Norax Labs assumes no liability in connection with the use of this material.